


Google

 abnormal lab findings with fatty live 

- ALL
- NEWS
- IMAGES
- SHOPPING
- VIDEOS



The most common **abnormal laboratory test results** are elevated alanine transaminase (ALT) and aspartate transaminase (AST), usually one to four times the upper limits of normal.5

However, patients with nonalcoholic **fatty liver disease** may have normal transaminase levels. Jun 1, 2006

**Nonalcoholic Fatty Liver Disease - - American
Family Physician**
<https://www.aafp.org> > afp

 About this result  Feedback

RECENTLY VISITED



Discover

Updates

Search

Recent

More

[REDACTED]

Donna D, F, 03/12/1960

Womens Health Associates of Richardson
2821 E. PRES GEORGE BUSH HWY STE 400,
RICHARDSON, TX 75082-4278
972-231-9144

FINAL RESULT

Accession ID: [REDACTED]

Lab Ref ID: [REDACTED]

Order Date: 11/15/2018

Received: 11/16/2018 09:45:05

Coll. Date: 11/15/2018 13:40:00

Requesting Physician: [REDACTED] Duyen

Ordering Physician: [REDACTED] Duyen

Shirley

Shirley

Comprehensive Metabolic Panel (CMP)

[REDACTED] Donna D, F, 03/12/1960

Accession ID: [REDACTED]

NAME	VALUE	REFERENCE RANGE
F Albumin	4.37	3.5-5.2 (g/dL)
F Alkaline Phosphatase	94	40-150 (U/L)
F ALT (alanine Aminotransferase)	64 H	0-55 (U/L)
F AST (Aspartate Aminotransferase)	85 H	5-34 (U/L)
F Bilirubin, Total	0.5	0.2-1.2 (mg/dL)
F Blood Urea Nitrogen	13	9.8-20.1 (mg/dL)
F Calcium	9.2	8.4-10.2 (mg/dL)
F Carbon Dioxide (CO2)	21 L	22-29 (mmol/L)
F Cl (Chloride)	103	98-107 (mmol/L)
F Creatinine	0.81	0.57-1.11 (mg/dL)
F eGFR Non African American	>60	>60 (mL/min/1.73m2)
F eGFR African American	>60	>60 (mL/min/1.73m2)
F Glucose	72	70.01-125.99 (mg/dL)
F Potassium	5.4 H	3.5-5.1 (mmol/L)
F Protein, Total	8.44 H	6.4-8.3 (g/dL)
F Sodium	139	136-145 (mmol/L)

Comments SEE NOTE

Sample is hemolyzed, which may affect certain results. Clinical correlation is required and recollection may be indicated.

Dx - Z00.00

NON-FASTING

Donna D, F, 03/12/1960

Accession ID: [REDACTED]

Patient: [REDACTED], DONNA [REDACTED] DOB: 03/12/1960 Sex: Female Tel: [REDACTED]

Lab: COMPREHENSIVE
METABOLIC PANEL w/eGFR
(10231)

Order Date: 11/26/2018

Ordering Physician: [REDACTED]
WENDY

Session Id: [REDACTED]

Collection Date: 12/19/2018

Time: 10:16 AM

Name	Value	Reference Range
GLUCOSE	95	65-99 mg/dL
Fasting reference interval		
UREA NITROGEN (BUN)	13	7-25 mg/dL
CREATININE	0.78	0.50-1.05 mg/dL

For patients >49 years of age, the reference limit for Creatinine is approximately 13% higher for people identified as African-American.

eGFR NON-AFR. AMERICAN	84	> OR = 60 mL/min/1.73m ²
eGFR AFRICAN AMERICAN	97	> OR = 60 mL/min/1.73m ²
BUN/CREATININE RATIO	NOT APPLICABLE	6-22 (calc)
SODIUM	143	135-146 mmol/L
POTASSIUM	4.9	3.5-5.3 mmol/L
CHLORIDE	105	98-110 mmol/L
CARBON DIOXIDE	28	20-32 mmol/L
CALCIUM	9.8	8.6-10.4 mg/dL
PROTEIN, TOTAL	7.7	6.1-8.1 g/dL
ALBUMIN	4.6	3.6-5.1 g/dL
GLOBULIN	3.1	1.9-3.7 g/dL (calc)
ALBUMIN/GLOBULIN RATIO	1.5	1.0-2.5 (calc)
BILIRUBIN, TOTAL	0.7	0.2-1.2 mg/dL
ALKALINE PHOSPHATASE	79	33-130 U/L
AST	35	10-35 U/L
ALT	18	6-29 U/L

***Notes:**

Received Date: 201812191017
PERFORMING LAB: IG, Quest Diagnostics-Dallas Lab, 4770 Regent Blvd, Irving, TX,
75063-2445 Dr. Robert L Breckenridge

Lab: FOOD ALLERGY PANEL
(REFL)
Session Id: [REDACTED]

Order Date: 11/26/2018

Collection Date: 12/19/2018

Ordering Physician: [REDACTED]
WENDY
Time: 10:16 AM

Name	Value	Reference Range
EGG WHITE (F1) IGE CLASS	<0.10	KU/L
PEANUT (F13) IGE CLASS	<0.10	KU/L
WHEAT (F4) IGE CLASS	<0.10	KU/L
WALNUT (F256) IGE CLASS	0	KU/L
CODFISH (F3) IGE	<0.10	KU/L

Patient: BONERRAKE, DONNA DANIEL DOB: 03/12/1960

PATIENT NAME: [REDACTED] Donna
BIRTH DATE: [REDACTED]
MPI#: [REDACTED]
DATE OF EXAM: 5/13/2016



REFERRED BY: Noel [REDACTED], MD
[REDACTED]
Dallas, TX 75251

EXAM: ABDOMEN ULTRASOUND, LIMITED

HISTORY: Elevated labs. Acute presentation, no history of trauma, initial evaluation.

FINDINGS: There are no prior studies available. Abdominal aorta shows atherosclerosis but is not enlarged. Pancreas is normal. IVC is normal.

The liver is 16.0 cm. There is heterogeneous echotexture, suggesting mild fatty liver. No mass can be seen. Margins are smooth. Portal vein is patent with normally directed flow.

The gallbladder is contracted. There are multiple mobile stones, one measurement is 2.8 mm, still within upper limits of normal. There is no Murphy's sign. Common duct measures 5 mm, within limits of normal.

Right kidney is 12.1 cm. There are some limitations by habitus. No evidence of mass or hydronephrosis.

IMPRESSION:

1. Positive study for gallstones.
2. Contracted gallbladder with multiple gallstones. No gallbladder wall thickening or Murphy's sign. Common duct is normal.
3. Slightly heterogeneous liver, likely mild fatty liver. No mass can be seen.
4. Aortic calcification, atherosclerosis, but no aneurysm.
5. Dr. [REDACTED] will be happy to discuss these findings with the referring clinician at your convenience.

Jonathan [REDACTED] MD

PATIENT NAME: [REDACTED] Donna
BIRTH DATE: [REDACTED]
MPI#: [REDACTED]
DATE OF EXAM: 5/13/2016



Jonathan B. Baul

This document was electronically signed by Jonathan [REDACTED] MD on 5/13/2016

PATIENT NAME:

Donna

BIRTH DATE:

MP#: [REDACTED]

DATE OF EXAM:

12/19/2018

REFERRED BY:

[REDACTED] NP

[REDACTED]
Dallas, TX 75251

EXAM: LIMITED ABDOMEN ULTRASOUND

HISTORY: Prior cholecystectomy. Elevated LFTs.

COMPARISON: 5/13/2016.

TECHNIQUE: Limited 2-D ultrasound examination of the abdomen.

FINDINGS: The liver is unremarkable in echogenicity and echotexture. Liver measures 15.3 cm in length. Hepatopedal flow is seen in the main portal vein.


The gallbladder is surgically absent. The common duct measures 6 mm in diameter. There is no intrahepatic ductal dilatation.

Survey images of the visualized pancreas and right kidney are unremarkable. The right kidney measures 13.7 cm in length. Aorta measures 1.9 cm in AP dimension.

IMPRESSION:

1. Prior cholecystectomy.
2. Otherwise, normal exam.

Vipul [REDACTED] MD



This document was electronically signed by Vipul [REDACTED] MD on 12/19/2018