

EMOTIONAL ERASE

Research Paper submitted to: International College of Applied Kinesiology
February 1, 1979
by: Dr. Victor L. Frank, D.C.

ABSTRACT:

A new technique for handling emotional involvement
in physical problems.

INTRODUCTION:

The usual emotional holding points are still valid when done by
another person. However, it has been discovered that when the holding
points are held by the patient, the hands should be crossed right to left
and left to right.

There are three types of emotion that we will be dealing with:
surface emotion, familial emotion and empathy emotion. Each emotion
has three levels.

SURFACE EMOTION:

Test: Take any intact muscle and touch challenge at the zyphoid and then at the globella and test the muscle for weakness. We have found three levels of surface emotion which respond to testing and correction.

First level surface emotion - touch test one time

Second level surface emotion - touch test two times

Third level surface emotion - touch test three times

Correction: If muscle test proves weak, rub over the right eyebrow laterally using pressure to patient's tolerance and retest.

FAMILIAL EMOTION:

Test: Take any intact muscle and touch challenge at the zyphoid, liver area, and then at the globella and test the muscle for weakness. We have found three levels of familial emotion which respond to testing and correction.

First level familial emotion - touch test one time

Second level familial emotion - touch test two times

Third level familial emotion - touch test three times

Correction: If muscle test proves weak, rub over the right eyebrow laterally using pressure to patient's tolerance. Retest.

EMPATHY EMOTION:

Test: Take any intact muscle and touch challenge at the zyphoid, spleen area, and the mid-brow and test the muscle for weakness. We have found three levels of empathy emotion which respond to testing and correction.

First level empathy emotion - touch test one time

Second level empathy emotion - touch test two times

Third level empathy emotion - touch test three times

Correction: If muscle test proves weak, rub over the left eyebrow laterally using pressure to patient's tolerance. Retest

ADDENDUM TO EMOTIONAL ERASE

by: Dr. Victor L. Frank, D.C.
Diplomate of Applied Kinesiology

In 1979 we published a Research Paper on Emotional Erase stating that there were three major kinds of emotion: Surface Emotion, Familial Emotion and Empathy Emotion. We have now found that there are five kinds of emotion. The additional two we call "Dumped Emotion" and "Family Dumped Emotion."

The fourth type of emotion we have named "Dumped". This is when a friend comes over and "dumps" all of their emotional "garbage" on you and instead of letting it fall away from you, you carry it with you and make it part of your own emotion.

DUMPED EMOTION:

Test: Take any intact muscle and touch challenge at the zyphoid, spleen and mid-brow, (Spleen point is located one inch laterally to the nipple line on the left side of the body between the 7th and 8th rib) and test the muscle for weakness. We have found three levels of dumped emotion which respond to testing and correction.

First level dumped emotion-touch test one time.

Second level dumped emotion-touch test two times.

Third level dumped emotion-touch test three times.

Correction; If muscle test proves weak, rub over the left eyebrow laterally using pressure to patient's tolerance and re-test.

The fifth type of emotion that we have found, we termed "Family Dumped". This is when a loved one "dumps" all of their emotional "garbage" on you and instead of letting it fall away from you, you carry it with you and make it part of your own emotion.

FAMILY DUMPED EMOTION:

Test: Take any intact muscle and touch challenge at the zyphoid, liver place, spleen and mid-brow and test the muscle for weakness. We have found three levels of Family Dumped Emotion which respond to testing and correction.

First level family dumped emotion-touch test one time.

Second level family dumped emotion-touch test two times.

Third level family dumped emotion-touch test three times.

Correction: If muscle test proves weak, rub over the left eyebrow laterally using pressure to patient's tolerance and re-test.

ADDENDUM TO THE DIAGNOSIS AND CONTROL OF
METABOLISM MALFUNCTION USING KINESIOLOGICAL METHODS

by: Dr. Victor L. Frank, D.C.
Diplomate of Applied Kinesiology

In 1977, we published a research paper on the testing and correction of the 98% liver protein metabolism malfunction for sugar control. This addendum will deal with the remaining 2% which, in actuality, is a pancreatic or adrenal problem.

The testing for the 2% is only used when you have a normal leg test failure with one knee bent and the other leg straight. This test informs you of a sugar problem but does not differentiate between the 98% or the 2% of sugar metabolism malfunction.

The test for the 2% is a bilateral latissimus dorsi test with the hands along the sides. Have the patient hold their arms next to their body and pull laterally away from the body. If the muscles weaken, you have a 2% sugar problem.

The correction for the 2% is a T7 correction. The correction is done in 3 phases of respiration with a double transverse contact in an antero-superior direction in relationship to that particular vertebra. Once you have done the correction of T7, turn the patient over and re-test for a sugar problem as it is also possible to have a 100% sugar problem. Re-test the legs for the 98% sugar test and, if it is found, correct in the normal manner at C5 in the direction of indication.

The following is in explanation of the 3 phases of respiration adjustment: The body is adjusted as the patient inhales, as the patient exhales and in a neutral position (it doesn't matter where the breath is). By adjusting in the 3 phases of respiration, the body is turned on for work, play and rest.

Malik & Wilson

TRM EMOTIONAL CASE

SURFACE : ZYPHOID, GLOBELLIN

FAMILIAL : ZYPHOID, LIVER GLOBELLIN

EMPATHY : ZYPHOID, MID-BRAIN

LND DUMPED : ZYPHOID, SPLEEN, MID-BRAIN

MLY DUMPED : ZYPHOID, SPLEEN, LIVER, MID-BRAIN

MALMO APPROXIMATE FINGER BY CONTACT WITH ...
TOE & CONTACT WITH ...

INTELLIGENT VRO ... ZYPHOID ... GLOBELLIN ... CORRECTION IS
RT EXCHANGE

NOTE : CLEAR GLOBELLIN CONDITIONS FIRST

LOAN ... 343 ...
... 213-772-8000

PR CAN SAVE ... PHOTOS ...
-SAMSUNG INPUT ...